REFERENCE

1) Alan P, Johnson. (2013). Improving antimicrobial stewardship: AmWeb, a tool for helping microbiologists in England to 'Start Smart' when advising on antibiotic treatment, J AntimicrobChemother, 68: 2181–2182.
2) Amer, M R. (2013). Antimicrobial stewardship program implementation in a medical intensive care unit at a tertiary care hospital in Saudi Arabia, Ann Saudi Med, 33(6):547-54.
3) Angela, Huttner. (2013). Antimicrobial resistance: a global view from the 2013 World Healthcare-Associated Infections Forum,Antimicrob Resist Infect Control, 2: 31.
4) Bavestrello, L.(2002)**.** Impact of regulatory measures in the trends of community consumption of antibiotics in Chile, Rev Med Chil, 130(11):1265-72.
5) Basetti, M. (2001).The effect of formulary restriction in the use of antibiotics in an Italian hospital, Eur J ClinPharmacol,57(6-7):529-34.
6) Carlos Bantar,(2006). Are laboratory based antibiogram reliable to guide the selection of empirical antimicrobial treatment in patients with hospital acquired infections, Journal of antimicrobial chemotherapy, 59:140-143.
7) Dominik, (2009). Outcomes of early switching from intravenous to oral antibiotics on medical wards, J AntimicrobChemother, Jul 2009; 64(1): 188–199.
8) Dunn, (2011). Implementing a pharmacist-led sequential antimicrobial therapy strategy: a controlled before-and-after study, Int J Clin Pharm, 33(2):208-14.
9) Darren R. Linkin, (2006). Inaccurate Communications in Telephone Calls to an Antimicrobial Stewardship Program Infect Control HospEpidemiol, Jul 2006; 27(7):688-694.
10) Elias Iosifidis, (2008). Differential Correlation Between Rates of Antimicrobial Drug Consumption and Prevalence of Antimicrobial Resistance in a Tertiary Care Hospital in Greece, Infection control and hospital epidemiology, 29(7):615-622
11) Gyssens I C, (1999).Clinical results and costs due to improved antibiotics policies, Ned TijdschrGeneeskd, 20; 143(47):2361-4.
12) Ho PL, (2006).Optimising antimicrobial prescription in hospitals by introducing an antimicrobial stewardship programme in Hong Kong: consensus statement, Hong Kong Med J,12(2):141-8.

13) HK Ki, (2013). Impact of antimicrobial restriction program on antimicrobial agent's usage, Antimicrobial Resistance and Infection Control, 2(Suppl 1):93-95.
14) John P Furono, (2014).Using Antibiograms to improve antibiotic prescribing in skilled nursing facilities, Infection Control and Hospital Epidemiology, 35(10):56-61.
15) Joshi S, (2010) Hospital antibiogram a necessity. Indian journal of medical microbiology. Vol28 (4); 277-280.
16) Julie Bruce, (2009) Antibiotic stewardship and consumption: Findings from a pan-European hospital study, Journal of Antimicrobial Chemotherapy, 64. 853–860.
17) John M. Boyce,(2013) A Trial of Discontinuation of Empiric Vancomycin Therapy in Patients with Suspected Methicillin-Resistant *Staphylococcus aureus* Health Care-Associated Pneumonia,Antimicrob Agents Chemother, 57(3): 1163–1168.
18) K D Tripathi, (2003). Essentials of Medical Pharmacology, (6th Edition),Jaypee Brothers Medical Publishers (P) Ltd.667-81
19) K.L.Buising, (2008). Electronic antibiotic stewardship reduced consumption of broad-spectrum antibiotics using a computerized antimicrobial approval system in a hospital setting, Journal of Antimicrobial Chemotherapy, Volume 62,issue(3),608-616.
20) Katsios CM, (2012).An antimicrobial stewardship program improves antimicrobial treatment by culture site and the quality of antimicrobial prescribing in critically ill patients,*Critical Care* 2012, **16**:R216.
21) LaRosa LA, (2007).Evaluation of antimicrobial therapy orders circumventing an antimicrobial stewardship program: investigating the strategy of stealth dosing, Infect Control HospEpidemiol, 28(5):551-6.
22) Marc H. Scheetzl, (2009). Cost-effectiveness analysis of an antimicrobial stewardship team on bloodstream infections: a probabilistic analysis, chemotherapy, Volume, 816-825.
23) Mach R, (2007).Impact of a multidisciplinary approach on antibiotic consumption, cost and microbial resistance in a Czech hospital, Pharm World Sci,(5):565-72.
24) Marwa R, (2013). Antimicrobial stewardship program implementation in a medical intensive care unit at a tertiary care hospital in Saudi Arabia: Ann Saudi Med, 2013; 33(6): 547-554.

25) MiKyongJoung, (2011).Impact of de-escalation therapy on clinical outcomes for intensive care unit-acquired pneumonia,Crit Care, 2011; 15(2): R79.
26) M.Salman Shah, (2015).Emerging Antibiotic resistance: A reflection of actual practice among doctors at tertiary care hospitals. International journal for current microbiology and applied sciences, Special Issue-1: 127-133.
27) N.ShanmugVadivoo M.D, (2014). Antibiogram Analysis and Altering Antimicrobial Susceptibility Pattern of Multidrug Resistant Pathogens, Global journal of medical research, 14(4): 27-37.
28) **N**amitha, (2012). Control of multidrug resistant bacteria in a tertiary care hospital in India, Antimicrob Resist Infect Control, 2012; 1: 23.
29) Ng CK, (2008).Clinical and economic impact of an antibiotics stewardship programme in a regional hospital in Hong Kong, QualSaf Health Care,17(5):387-92.
30) Palanisamy.A ,(2011). Conversion of Intravenous-to-Oral Antimicrobial Therapy in South Indian Population, International Journal of Research in Pharmaceutical and Biomedical Sciences, Vol. 2 (3),pp 1258-60.
31) Stein GE,(2010).The importance of tissue penetration in achieving successful antimicrobial treatment of nosocomial pneumonia and complicated skin and soft-tissue infections caused by methicillin-resistant Staphylococcus aureus: vancomycin and linezolid, Curr Med Res Opin, 26(3):571-88.
32) Susette K Var, (2015). Evaluation of regional antibiograms to monitor antimicrobial resistance in Hampton roads, Virginia, Annals of Clinical Microbiology and Antimicrobials, 14:.22-28.
33) Van Kasteren ME,(2005). Quality improvement of surgical prophylaxis in Dutch hospitals: evaluation of a multi-site intervention by time series analysis, J AntimicrobChemother, 56(6):1094-102.
34) Valerie Leung, (2011). Growing a “Positive Culture” of Antimicrobial Stewardship in a Community Hospital, Can J Hosp Pharm, 64(5): 314–320.
35) Yashwant Kumar, (2013). Antibiogram and characterization of resistance markers among Escherichia coli Isolates from urinary tract infections, Journal of infection in developing countries, 7:513-519.